

Study on the Reliability Evaluation of the Web-Based Software and Hardware

Geetu Soni, Research Scholar, Department of Computer Science, Singhania University, Rajasthan (India)
Dr. Pooja Maheshwari, Associate Professor, Singhania University, Rajasthan (India)

INTRODUCTION

Web-based systems are playing an important role in modern computer savvy society today. Because of the pervasive nature and the massive user population, various existing software engineering approaches need to be adopted for web engineering and web quality assurance (WebQA) is the application area which deals with analysis, testing, quality/reliability improvement for web-based applications.

Davila-Nicanor et al. [DAV2005] focused on the development of a methodology for the evaluation and analysis of the reliability of web-based software applications. They tested the methodology in a web-based software system and used statistical modeling theory for the analysis and evaluation of the reliability. The behavior of the system under ideal conditions was evaluated and compared against the operation of the system executing under real conditions. The evaluation and improvement process is performed in their methodology to evaluate and improve the quality of the software system.

Jeff Tian et al. [JEF2004, ZLI2003] discussed web usage and problems for web applications, evaluate their reliability and examine the potential for reliability improvement. Based on the characteristics of web applications and the overall web environment, they classify web problems and focus on the subset of source content problems. Using information about web accesses, they derive various measurements that can characterize web site workload at different levels of granularity and from different perspectives. These workload measurements, together with failure information extracted from recorded errors, are used to evaluate the operational reliability for source contents at a given web site and the potential for reliability improvement.

Jeff Tian and L. Ma [JEF2003, KAL2001] characterized the problems for web applications, examined existing testing techniques that are potentially applicable to the web environment, and introduced a strategy for web testing aimed at improving web software reliability by reducing web problems closely identified with web source contents and navigations whole by analyzing the dynamic web contents and other information sources.

C. Kallepalli and J. Tian [KAL2001] used statistical testing and reliability analysis effectively to assure quality for web applications. To support this strategy, they extract web usage and failure information from existing web logs. The usage information is used to build models for statistical web testing. The related failure information is used to measure the reliability of web applications and the potential effectiveness of statistical web testing.

PROPOSED MODEL

Software reliability can be computed analytically with the help software reliability models. These models are based on some assumption for the simplification of the solution [LYU1992, GOE1982, GOE1985]. Modeling approaches discussed in [GOE1985, HAR1987, KHO1991] are extended and applied to web-based software system. As one approaches to more and more realistic and complex situations, it becomes almost impossible to obtain an analytic solution. Then simulation techniques are used.

This simulator is developed for reliability evaluation of web-based software using high level programming language.

Assumptions

- The control flows from one web page to another web page according to Markovian property.
- The process of transition continues till it reaches a state called the terminal state. This ensures the successful completion of the transitions. TSTATE denotes the terminal state and 1, 2, 3 n denotes transition states corresponding to web pages numbered as 1, 2, 3,.... n. Thus web software has state space {1, 2, 3....n, TSTATE}. The first page of the web software is called a home page and corresponds to initial state 1.
- In the absence of a successful transition from page 1 to TSTATE successively, the

process is probable to fail abruptly. Such a state, if it exists, is denoted by FSTATE.

- Each of transient web pages 1, 2, 3....n is prone to failure. The web page i have an associated reliability rel_i which is the probability that the web will operate correctly when invoked and will transfer the control to other web page successfully as and when intended by the user. Therefore, the probability of failure to enter from state i to state j will be $(1 - rel_i)$. The Markov chain for the imperfect web software becomes (1, 2, 3,...,n, FSTATE/ TSTATE). Therefore

$$\begin{aligned}
 itpm_{ij} &= rel_i * tpm_{ij} \quad \forall i=1,2,\dots,n \text{ and} \\
 &\quad \forall j=1, 2,\dots,n, \text{TSTATE} \\
 itpm_{ifstate, i} &= 1 - rel_i \quad \forall j=1, 2,\dots,n; \\
 itpm_{tstate, tstate} &= 1 \\
 itpm_{ifstate, fstate} &= 1
 \end{aligned}$$

The two states viz. FSTATE and TSTATE are mutually exclusive and any of the transient states 1, 2, ..., n will eventually lead either to a FSTATE or a TSTATE.

System reliability is defined to be the probability that system eventually completes its task successfully without failing from transition from one page to the other till its termination state is reached. When applied to our model it is simply the probability that the Markov chain for web software is eventually absorbed into TSTATE rather than the FSTATE.

Thus $RELWEB = NAB / SIMRUN$ where NAB is the number of times the control goes to observing state out of SIMRUN simulation runs.

DESCRIPTION OF ALGORITHM: SIM_REL_WEB

Terms and Notations

SIMRUNS	: Number of simulation runs
REL	: Reliability vector
NT	: Counter for successful termination
p_{ij}	: Probability that control will be passed next on to web page j from i
NPAGES	: No of web pages in the website
TSTATE	: Terminal state
FSTATE	: Failure state
SYSREL	: System reliability
TPM	: Ideal state transition probability matrix
TPMI	: Imperfect state transition probability matrix
CTPM	: Cumulative state transition probability matrix
RELWEB	: Reliability of web based software

RESULTS & DISCUSSION

The simulator developed in this chapter has been executed for 100000 number of simulation runs in order to compute system reliability for web-based software. The results obtained for web-based software reliability corresponding to different data sets of values of web page reliability are presented in the table 1. It is found that the system reliability increases as the web page reliability increases.

TABLE 1: Details of inputs: Reliability vector values and output Web-based software Reliability (Rel(i) and S. Rel)

Page Wise Reliability	Data Set 1	Data Set 2	Data Set 3	Data Set 4	Data Set 5	Data Set 6	Data Set 7
Rel(1)	0.99	0.99	0.99	0.96	0.99	0.99	0.99
Rel(2)	0.95	0.98	0.96	0.97	0.97	0.98	0.97
Rel(3)	0.91	0.92	0.93	0.98	0.95	0.97	0.98
Rel(4)	0.87	0.91	0.9	0.99	0.93	0.96	0.96
S.Rel.	0.84	0.88	0.89	0.92	0.92	0.94	0.95

A graph is drawn (Figure 1) between web page Reliability and web-based software Reliability to show the trend related to web page reliability and website reliability using the data mentioned in table 1.

Webpage Reliability and Web-based Software Reliability




FIGURE 1: Web page Reliability and Web-based Software Reliability

The table 1 gives a view of the system reliability computed for different values of simulation runs keeping the values of reliability vector constant (0.99, 0.98, 0.97, and 0.96). It is found that the system reliability increases as the number of simulation runs increases.

TABLE 2: Details of inputs (Number of simulation runs) and output (Web-based Software Reliability)

Number of Simulation Runs	Web based Software Reliability
1000000	0.947
1010000	0.95
1020000	0.953
1030000	0.9716
1040000	0.981
1050000	0.99

The figure 2 shows the trend relating to number of simulation runs and the website reliability (System Reliability).

Simulation runs Vs Web-Based Software Reliability




FIGURE 2: Simulation Runs Vs Web-Based Software Reliability

CONCLUSION

The simulator described in his chapter will be of great importance to evaluate the reliability of web based software. The transition probabilities of web pages which are not connected directly are considered as zero when ideal transition probabilities for the web pages are entered. Each state is prone to failure to some extent, thereby making the web software imperfect. The simulator is executed using various combinations of reliabilities of web pages and it is found that the system reliability is sensitive to the reliability of individual web pages. It is depicted from the graph plotted between web page reliability and web-based software reliability (Figure 1). It is also evident from Figure 2 that the web-based software reliability increases as the number of simulation runs increases from the results shown in table 2. This simulator can be used as an access tool by the software quality assurance team for estimating

Reference:

Arcuri, A. and Fraser, G. On parameter tuning in search based software engineering, In the Proceedings of SSBSE, pp. 33-47, 2011.

Arcuri, A. and Fraser, G. Parameter tuning or default values? An empirical investigation in search-based software engineering, Empirical Software Engineering, 18 (3), pp. 594-623, 2013.

Asad, C., Ullah, M. & Rehman, M., 2004. An approach for software reliability model selection. , Int. Computer Software and Applications Conf., (COMPSAC), p. 534–539.

Axelsson S,” Intrusion Detection Systems: A Survey and Taxonomy”, Technical Report No 99- 15, Dept. of Computer Engineering, Chalmers University of Technology, 2000.

Badis H, Agha K A (2005) QOLSR: QoS routing for ad hoc wireless networks using OLSR. Wiley European Transactions on Telecommunications 15(4):427--442.

Barber, G., Chapter 9 of Human Factors and Interactive Computer Systems, Edited by Yannis Vassiliou, Ablex Publishing Corporation, Norwood, NJ, 1984.

